

# Product Bulletin

## GF 223

### SEMI RIGID MATTE WHITE PVC REMOVABLE ADHESIVE

GF 223 is a 6.0 mil premium white matte semi rigid calendared vinyl film coated with 200-4982 removable acrylic pressure sensitive adhesive laminated to a 90# tight release digital liner designed for roll processing . This film is designed to accept a variety of solvent-based, UV curable and latex inks common to wide format digital printing systems.

<b>Applications</b>	GF 223 is a high performance removable decal film designed for ease of application of temporary interior or exterior signage, decals, nameplates, die-cut letters and point-of-purchase displays. GF223 is the ideal media for temporary store front applications requiring bond to windows. This media may also be used on smooth surfaces such as metals, painted metals and certain high energy plastics. Not designed for coated/ sealed/ treated stainless steel, brass or bronze surfaces.	
<b>Thickness</b>	Film Adhesive Liner (Thickness variance +/- 10%)	6.0 mils. .8 to 1.0 mils. 6.7 mils.
<b>Dimensional Stability</b>	Good.	
<b>Temperature Ranges</b>	Minimum application temperature Service temperature	+40°F. -40°F to +180°F.
<b>Expected Exterior Exposure</b>	Removable up to 1 year under normal conditions.	
<b>Adhesion</b>	To glass To standard test panels Tested according to PSTC-101 Method A with 24-hour dwell at 70 °F and 50% relative humidity. Typical values. Individual values may vary. Test thoroughly before production.	4 to 16 oz. /in. 4 to 16 oz. /in.
<b>Water Resistance</b>	Good. Test if immersed.	
<b>Humidity Resistance</b>	Good.	
<b>Solvent Resistance</b>	Good	
<b>Storage Stability</b>	6 months shelf life when stored at 70 °F and 50% relative humidity.	
<b>Product Codes</b>	223-54	(54" X 100' roll)
<b>Recommendations</b>	Completely evaporate inkjet solvents before application. Failure to do so may facilitate solvent penetration resulting in vinyl degradation.	



*Manufacturers of  
Pressure Sensitive Films*

309 S. Union • P.O. Box 158 • Sparta, Michigan 49345 • (616) 887-7387 • (800)253-3664 • FAX (616)887-0537  
Web Site: [www.generalformulations.com](http://www.generalformulations.com) • e-mail: [info@generalformulations.com](mailto:info@generalformulations.com)

We believe the information on this product to be accurate. However, since we cannot anticipate or control the conditions under which this information or our products may be used, we cannot guarantee results obtained through their use. Tests of our products should be made by users to determine the suitability of these products for a specific purpose. The products are sold without warranty, either express or implied. The purchaser should refer to General Formulations, Inc's Price List for Terms and Conditions or Sale, Including Disclaimer of Warranties and Limitation of Liability.